



**FEIN  
SUPERCUT CONSTRUCTION**

**FSC 2.0**



**Sets the pace on site.**



**Glazing /  
Window Restoration**



**Carpentry /  
Interior Construction**



**Tile Workers /  
Plumbers**



**Sealant /  
Caulking Repairers**

**Powered by innovation**





## Universal and specialist in one.

Many power tools on the market today are designed for one specific application, but the FEIN FSC 2.0 is an outstanding universal power tool that can handle many of the hard to do jobs.

In addition to its unique oscillating action, the FEIN SUPERCUT CONSTRUCTION has a range of accessories that make a wide variety of jobs possible.

Additionally, work can be accomplished with speed and precision in places that previously required time consuming manual effort. Its wide range of applications, along with time and cost savings, make the FEIN SUPERCUT CONSTRUCTION a great investment.

Four customized professional sets are available for various applications. The contents of each set are precisely designed for the tasks – the result of FEIN's expert know-how.

The original FEIN accessories make its operation especially cost-efficient. FEIN SUPERCUT CONSTRUCTION now belongs in the basic tool box for many trades.



reddot design award  
winner 2004

### At a glance

FEIN SUPERCUT CONSTRUCTION with oscillating movement for universal deployment.

- Ideal sets for glazing/window installation, carpentry/interior construction, tile work/plumbing and sealant/caulk removal
- Fast, reliable, and easy-to-use system
- Durable 400 Watt HIGH-POWER-MOTOR for outstanding performance and stability
- Variable speed

# FEIN SUPERCUT CONSTRUCTION TOOL. The four professional sets.

## Professional Set – Glazing / Window Installation

For fast, simple and neat renovation of putty-mounted windows or for dismantling and remove old windows. The time saved compared to alternative methods can be up to 80%. Separation of insulating glass repairs is also possible. (See page 4)



## Professional Set – Carpentry / Interior Construction

The specialist for sawing. The E-CUT sawing system accomplishes jobs that other saws just can't handle. Even precise cuts by hand or jobs that no other tool can do are no problem. (See page 6)



## Professional Set – Tile Work / Plumbing

Covers the whole range of the most common jobs in this trade. Diamond and carbide blades for cutting out hard grout material and sanding thin set adhesive residues are included, in addition to blades for silicone sealants in joints. (See page 10)



## Professional Set – Sealant / Caulking Removal

Tedious manual labor is a thing of the past. Now the FEIN SUPERCUT CONSTRUCTION TOOL with its special accessories for removing sealant does the job easily and more reliably than all other conventional methods. Reduce time 60% compared to other methods. The powerful and durable FEIN SUPERCUT CONSTRUCTION Cutter easily handles every task. (See page 8)





## Renovate windows faster.

The FEIN SUPERCUT CONSTRUCTION the professional set for glazing and window installation makes renovation of putty-mounted glass a quick, simple and neat task. Achieve up to 80% time savings compared to breaking and picking out the glass panes.

Even the replacement or repair of old windows is no problem, thanks to the ingenious E-CUT saw blades that reach areas that no other saw can, damage to wall and plaster is avoided during the dismantling of mounted window frames, making complicated touch-up work unnecessary. For installation jobs and fitting work, the E-CUT saw blades with bi-metal teeth work well in wood, plastics, plasterboard, plaster, aluminum nailing fins and even sheet metal. And last but not least, the FEIN SUPERCUT CONSTRUCTION Tool can also be converted into a versatile triangle sander in a few easy steps.

80% time savings with the FEIN SUPERCUT CONSTRUCTION when renovating insulation windows



### At a glance

The ideal set for glazing/ window installation.

- Perfect for renovating putty-mounted insulation windows and dismantling old windows
- Repair insulated windows without breaking the old panes
- Time saved compared to alternative methods can be up to 80 %
- Extraction of old window frames without damage to walls or plaster
- Removal and fitting work accomplished easily and neatly without wall damage; eliminates complicated touch-up work



### The FEIN Professional Set – Glazing/ Window Installation

Consisting of:

1 FEIN SUPERCUT CONSTRUCTION in metal tool case; 1 HSS saw blade, cranked, Ø 4"; 1 E-CUT standard saw blade (form 124); 1 each E-CUT universal saw blade (form 147, 148); 1 depth stop; 1 adapter; 1 sanding pad; 5 each sanding sheets, grain 80, 120, 180; 1 segment blade, toothed; 1 cutter blade, mushroom shaped; 1 wrench.

#### Order reference

Accessory sets for subsequent orders, see page 15.

7 236 32 51




Using the segmented cutter blade, putty-mounted windows can be extracted in one piece without breaking. This means no risk of injury, no messy clean-up, and time savings of up to 80%.



The FEIN SUPERCUT CONSTRUCTION Tool is the best alternative to compressed air chisels or putty cutters. Use the flush cut saw blades to remove putty from single and multi-layered glazing – without the risk of glass breakage, laborious preparatory work or unhinging the windows.



Insulated windows are separated quickly and easily using the FEIN SUPERCUT CONSTRUCTION Tool with the mushroom shaped blade. Single undamaged panes can be used for repairs elsewhere. Separating materials for recycling is extremely easy.



The FEIN E-CUT saw blades allow accurate cutting of frames rapidly and without effort.



The HSS saw blade makes it possible to replace old windows even in problematic cases. Wall damage is avoided; the saw blade lies flush on the frame.



E-CUT universal saw blades for all cuts and fitting work. Bi-metal teeth make them well suited for wood, plastics, plasterboard, plaster, aluminum profiles, and even sheet metal.



The sanding set makes it possible to remove old layers of paint and putty residues without creating much dust.





## Saw where no saw can go!

The FEIN Professional Set for Carpentry/Interior begins a new era in construction. Everything becomes easier and faster with the SUPERCUT CONSTRUCTION Tool, compared to circular, saber or tiger saws. It effortlessly completes the job in record time. Working clearances are greatly reduced. Even hard-to-reach places can be worked on, because the ingenious E-CUT saw blades can be attached to the FEIN SUPERCUT CONSTRUCTION Tool at any angle.

An extensive selection of E-CUT saw blades is available for the Professional Set – Carpentry / Interior Construction.



### “Standard” series

with crossed tooting for all wood, plasterboard and plastics jobs.



### “Precision” series

with double-row original Japan tooting, for top-precision cuts even by hand into wood, plasterboard and plastics.



### “Universal” series

the especially durable E-CUT saw blades with bi-metal teeth are suited not only for wood, plasterboard, and plastics up to about 2 3/8" cutting depth, but also for copper, aluminum and sheet metal up to about 1/8".

6



Even precise freehand cuts are possible. The E-CUT precision saw blades ensure clean cross cuts – ideal for trimming and fitting.

119



E-CUT universal saw blades are outstanding for metal profiles and drywall due to their high cutting speeds.

147



## The FEIN Professional Set – Carpentry / Interior Construction

Consisting of:

1 FEIN SUPERCUT CONSTRUCTION in metal tool case; 4 E-CUT standard saw blades (form 123, 124 a. 135, 136); 4 E-CUT precision saw blades (form 119, 120 a. 121, 122); 2 E-CUT universal saw blades (form 147, 148); 1 depth stop; 1 adapter; 1 sanding pad; 5 each sanding sheets, grain 80, 120, 180; 1 wrench.

Order reference

7 236 32 52

Accessory sets for subsequent orders, see page 15.

The long E-CUT standard saw blades and the adjustable depth stop are the perfect solution when accuracy is needed.



It's no problem to make cut-outs in hard to reach places when installing kitchens.



Trim door frames perfectly. The offset permits sawing flush to the surface.



Subsequent cutouts into mounted flooring can be done quickly and neatly.



Simply plunge in without any complicated preparations. This blade quickly makes perfect cuts into walls.



Use the supplied adapter to quickly turn the FEIN SUPERCUT CONSTRUCTION Cutter into a triangle sander for corners and edges.



## At a glance

The set for carpenters and interior construction with the complete E-CUT selection.

- For all construction and sawing work, even in hard-to-reach places
- Increase productivity at every construction site
- Saw materials in place. No free space required alongside or behind the work piece
- High cutting speed and high precision
- Plunge into the material
- Clean cuts even by hand; no clamping of the workpiece necessary
- Converts to a versatile detail sander with high sanding capacity




## Remove sealant quickly.

Even the best joint fillers age and need to be replaced at some time so that the building structure is not damaged. The extracting is often a tedious and labor intensive job. The FEIN SUPERCUT CONSTRUCTION Tool with the professional set for caulking removal can do the job up to 60% faster than using a hand saw or angle grinder. All elastic sealants can be removed – in interiors, on facades, or cement floors. The extracting of the damaged material and the roughening of the flanks for new rejoining is done with only one device.

For continuous use on floors or facades, an auxiliary handle is included in the set to dramatically decrease operator fatigue. In cramped interior conditions, work can be done without the auxiliary handle.

You can attach a dust extraction device – with a vacuum – so that pollution is noticeably reduced in the immediate work area.



### The FEIN Professional Set – Sealant removal

Consisting of:  
 1 FEIN SUPERCUT CONSTRUCTION in metal tool case  
 1 vibration-attenuating bail handle  
 5 cutter blades, straight (form 117)  
 1 cutter blade, straight, long (form 116)  
 1 wrench.

#### Order reference

Accessory sets for subsequent orders, see page 15.

7 236 32 54



Deep seams have traditionally been very difficult to work on by hand, but they present no problem for the FEIN SUPERCUT CONSTRUCTION tool with the extended cutter blade.



116



The sides of the joint are cleaned and roughened by the diamond-coated blade.



161



All elastic joint fillers can be conveniently extracted using the straight cutter blade.



117



Safer working with FEIN: the dust extraction device noticeably reduces pollution in the immediate work area. The handle reduces vibration, making work almost fatigue-free.



## At a glance

Renew sealant/joints quickly, cleanly and reliably with the set for sealant repairers.

- Rapid work progresses with comparatively little effort
- Work progresses quickly and easily
- HIGH-POWER MOTOR for supreme performance and stability
- Use indoors and outdoors
- Vibration-reducing handle to minimize physical fatigue
- Attach dust extraction device without additional tools

# Replacing tiles the neat way.

Work is accomplished quickly, neatly and precisely with the FEIN SUPERCUT CONSTRUCTION and the professional set for tilers, kitchen remodelers and plumbers. Handling the FEIN SUPERCUT CONSTRUCTION Tool is very easy.

Grout can be removed without much dust and without overcutting. There is virtually no likelihood of damaging adjoining tiles. A complete replacement of only the tile joints can be done at any time, even for large repairs.

Trimming, fitting and cutting out plasterboard, drywall profiles, corner protection strips or heating pipes is ingeniously simple using the new bi-metal E-CUT universal saw blades. They are well-suited for wood, plasterboard and plastics, in addition to non-ferrous and sheet metal up to  $\frac{1}{16}$ ".



The diamond-coated segment blade cuts grout between marble and tile. Tiles can be broken and easily removed.

162




Using the carbide rasp, thin set adhesive can be easily removed.



## At a glance

Indispensable for all tilers, kitchen installers and plumbers – the professional set with universal accessories.

- Replacement of single, damaged tiles without damaging adjoining tiles
- Simple and precise to use
- Minimal dirt and dust
- Cut-outs and fitting work are accomplished quickly, easily, and neatly using the E-CUT saw blades. Eliminates complicated touch-up work
- Convert to a versatile detail sander with high sanding capacity



Damaged silicon or acrylic caulk is removed quickly and neatly by the mushroom-shaped cutter blade. New sealant materials can be applied without touch-up work.



E-CUT universal saw blades for all cuts and fitting work. Bi-metal teeth make them well-suited for wood, plastics, plasterboard, plaster, nailing fins, and even sheet metal.



148



Heating pipes can be trimmed off flush to the wall or the floor even at hard to reach places using the E-CUT universal saw blades.

147



New floor coverings require a clean base. Use the scraper blade to remove old coverings and adhesives in no time.

206



### The FEIN Professional Set – Tilers /Plumbers

Consisting of:

1 FEIN SUPERCUT CONSTRUCTION in metal tool case; 1 segment blade, diamond coated (form 162); 1 segment blade, mushroom shaped; 1 stopper knife; 1 each E-CUT universal saw blade (form 147, 148); 1 adapter; 2 rasps, carbide-coated, triangular, perforated for dust extractor; 1 wrench.

**Order reference**

Accessory sets for subsequent orders, see page 15.

**7 236 32 53**

# Renew joints instead of re-tiling

When extensive renovation of damaged tiles is required, the FEIN SUPERCUT CONSTRUCTION is ideal. It causes virtually no damage to the tile. Restoration work with the FEIN SUPERCUT CONSTRUCTION Tool is an economical alternative to new tile. Labor and material costs are controlled because it is simply re-grouting. About 80% of the costs can be saved.

## Healthier working.

FEIN offers two different dust extraction accessories, one for sawing jobs and one for sanding and rasping work. They are an ideal addition to the professional set for tilers / plumbers and are indispensable especially for extensive grouting renewal of complete rooms. When connected to a dust extractor with auto-start, such as the FEIN Turbo I, dust will be suctioned directly into the vacuum. The vibration-reducing auxiliary handle, which is included, lessens operator fatigue during continuous use.



Plaster, screed, or tile adhesive residues can be sanded off flush before rejoining.



Tile grout is extracted economically, precisely, and above all with hardly any dust using the dust extraction device and the diamond-coated tools.

## Dust extraction device

For sawing tasks with diamond-coated tools; tool-free mount.

Suction hose attachment  $\varnothing$  1 1/4".

**Order reference** 9 26 02 075 01 8



## Dust extraction set

For all sanding and rasping jobs with triangle sanding pad and carbide rasp. Consisting of

2 sanding pads, perforated;

5 each sanding sheets, perforated,

grain 60, 80, 120; 1 extractor hood with suction tube;

2 hose nozzles for hose connection  $\varnothing$  1 1/6" and 1 1/4".

**Order reference** 9 26 02 074 01 4



## Auxiliary handle

To reduce the vibrations and improve handling of the FEIN SUPERCUT during longer jobs. Also can be used with the dust extraction device 9 26 02 075 01 8.

**Order reference** 3 21 19 116 01 1



## FEIN Turbo I

The ideal addition to the FEIN SUPERCUT CONSTRUCTION. Suitable for all accessories with vacuuming function.

The 9 11 55 is powerful and userfriendly.

With auto-start, automatic on/off, 5 casters, for unlimited freedom of movement, extensive basic equipment and the option of being used in wet or dry conditions, it is perfectly suited for tasks in your workshop or on the job site.

**Order reference** 9 11 55





## FEIN SUPERCUT CONSTRUCTION FSC 2.0

Power input	400 Watt
Power output	220 Watt
Tool oscillations	11,000 – 18,500/min
Cable with plug	16 ft
Weight	2.7 lbs
<b>Order reference</b>	<b>7 236 32</b>

Price includes:  
 1 FEIN SUPERCUT CONSTRUCTION  
 in metal tool case,  
 1 sharpening stone (6 37 19 010 01 4),  
 1 mounting bolt (3 30 01 039 01 7),  
 1 wrench (6 29 07 037 00 3)

## Accessories for

**Glaziers / Window Installation**

**Carpenters / Interior Construction**

### E-CUT standard saw blades

Crossed tothing for all wood, plasterboard and plastics jobs. Flush work.

Length 3 1/16"

Width	No. in pack	Order reference
1 1/4"	1	6 35 02 123 01 8
1 1/4"	5	6 35 02 123 04 6
1 1/4"	25	6 35 02 123 03 0



1 5/8"	1	6 35 02 124 01 6
1 5/8"	5	6 35 02 124 04 4
1 5/8"	25	6 35 02 124 03 8



Length 2"

Width	No. in pack	Order reference
1 3/8"	1	6 35 02 135 01 9
1 3/8"	5	6 35 02 135 03 1
1 3/8"	25	6 35 02 135 02 5



2 3/16"	1	6 35 02 136 01 2
2 3/16"	5	6 35 02 136 03 4
2 3/16"	25	6 35 02 136 02 8



### E-CUT precision saw blades

Double-row original Japan teeth, for top-precision cuts, flush working and clean cutting edges even freely by hand into wood, plasterboard, and plastics.

Length 2"

Width	No. in pack	Order reference
1 3/8"	1	6 35 02 119 01 0
1 3/8"	5	6 35 02 119 04 8
1 3/8"	25	6 35 02 119 03 2



1 3/4"	1	6 35 02 120 01 2
1 3/4"	5	6 35 02 120 04 0
1 3/4"	25	6 35 02 120 03 4



2 3/16"	1	6 35 02 121 01 1
2 3/16"	5	6 35 02 121 04 9
2 3/16"	25	6 35 02 121 03 3



2 9/16"	1	6 35 02 122 01 4
2 9/16"	5	6 35 02 122 04 2
2 9/16"	25	6 35 02 122 03 6



### E-CUT universal saw blades

Bi-metal teeth, cranked, also suitable for radii, high speed cut, sheet metal (58,000 psi<sup>2</sup>) up to 14 gauge and plastics, aluminum profiles, copper pipes, wood, plasterboard, and almost all plastics. Flush working.

Length 2 3/8"

Width	No. in pack	Order reference
1 1/8"	1	6 35 02 147 01 5
1 1/8"	5	6 35 02 147 02 1
1 1/8"	25	6 35 02 147 03 7



1 3/4"	1	6 35 02 148 01 3
1 3/4"	5	6 35 02 148 02 9
1 3/4"	25	6 35 02 148 03 5



### Depth stop

For E-CUT saw blades, for limiting the cutting depth.

**Order reference** 3 26 07 062 02 2



### M-CUT Saw Blade

For cuts, cut-outs, and grooves in sheet metal, plastics, fiberglass, and carbon fiber-reinforced plastic; pack of 2.

Width	Length	Order reference
1 3/16"	2"	6 35 02 138 01 4



### Saw blades

HSS, with fine teeth for precise cutting. Universal deployment on metal sheet of approx. 19 gauge, also doubled, and plastics. Pack of 2.

Ø  
 2 1/2"  
 3 1/8"



**Order reference**  
 6 35 02 102 01 6  
 6 35 02 103 01 0

HSS, cranked, countersunk blade for flush working, pack of 1.

Ø  
 3 3/8"  
 4"



**Order reference**  
 6 35 02 145 01 8  
 6 35 02 137 01 6

### Cutting paste

Lubricating agents for working sheet metals.

**Order reference** 3 21 32 020 12 9

### Cutter blade

Mushroom-shaped, for cutting elastic silicon or acrylic connecting joints as well as for separation of insulating glass. Flush working. Pack of 5.

**Order reference** 6 39 03 128 01 2



### Segment saw blade

Cropped, for extracting panes of putty-mounted insulating glass. Pack of 2.

**Order reference** 6 39 03 166 01 6



### Adapter

Needed for fitting accessories with round mounts (e.g. for rasping, sanding, and polishing).

**Order reference** 3 06 05 114 01 1

### Sanding pad set

Pack of 2, unperforated.

**Order reference** 6 38 06 129 02 6



## Sanding sheets

Unperforated with Velcro rapid attachment, can be used universally on almost all materials, such as wood, metal, fiberglass, plastic, lacquer, filler, soldering joints, leather, etc., fully bonded with artificial resin, high sanding capacity, corundum.



Grain	Pack of 5 Order reference	Pack of 50 Order reference
	<b>6 37 17 ...</b>	<b>6 37 17 ...</b>
36	... 086 04 8	... 086 01 0
40	... 081 04 6	... 081 01 8
60	... 082 04 9	... 082 01 1
80	... 083 04 3	... 083 01 5
100	... 084 04 1	... 084 01 3
120	... 085 04 5	... 085 01 7
150	... 087 04 2	... 087 01 4
180	... 088 04 0	... 088 01 2
220	... 089 04 4	... 089 01 6
240	... 090 04 6	... 090 01 8
280	... 091 04 5	... 091 01 7
320	... 092 04 8	... 092 01 0
400	... 093 04 2	... 093 01 4

## Sanding sheet set

Includes: 10 of each type of sanding sheet, unperforated, with Velcro rapid attachment, grain 60, 80, 120, 180, 240.



**Order reference** 6 37 17 082 03 3

## "Stone" sanding set

Universally suitable for sanding stone and stone products. Includes: 5 of each type of sanding sheet, grain 40, 80, 120, 220, 320, 400, 600, 800; 1 of each type of sanding pad with aluminum and plastic backing plate; 1 felt polishing pad.

**Order reference** 6 38 06 129 06 7

## "Stone" sanding sheets

Special sanding sheets for coarse and fine sanding of natural and artificial stone.

Grain	No. in pack	Order reference
40	50	6 37 17 120 01 4
80	50	6 37 17 121 01 3
120	50	6 37 17 122 01 6
220	50	6 37 17 123 01 0
320	50	6 37 17 124 01 8
400	50	6 37 17 125 01 2
600	50	6 37 17 175 01 7
800	50	6 37 17 176 01 0

FEIN has in addition a comprehensive range of sanding pads and papers. You can get detailed information from your local FEIN dealer.

## Dust extraction set

For all sanding and rasping jobs with triangular sanding pad and carbide rasp. incl. 2 sanding pads, perforated; 5 of each type of sanding sheet, perforated, grain 60, 80, and 120; 1 extractor hood with suction tube; 2 hose nozzles for hose connection  $\varnothing$  1  $\frac{1}{16}$ " and 1  $\frac{1}{4}$ " plus 2 adapters for connection to the most common domestic vacuum cleaners.



**Order reference** 9 26 02 074 01 4

## Sanding pad set

Pack of 2, perforated.



**Order reference** 6 38 06 136 02 9

## Sanding sheets

Perforated, with Velcro rapid attachment, fully bonded with artificial resin, high sanding capacity, corundum.



For all-round use with dust extractor on practically all materials, such as wood, metal, fiberglass-reinforced plastic, plastic, paint, filler, soldered joints, leather.

Grain	Pack of 5 Order reference	Pack of 50 Order reference
	<b>6 37 17 ...</b>	<b>6 37 17 ...</b>
36	... 107 04 9	... 107 01 1
40	... 108 04 7	... 108 01 9
60	... 109 04 1	... 109 01 3
80	... 110 04 3	... 110 01 5
100	... 111 04 2	... 111 01 4
120	... 112 04 5	... 112 01 7
150	... 113 04 9	... 113 01 1
180	... 114 04 7	... 114 01 9
220	... 115 04 1	... 115 01 3
240	... 116 04 4	... 116 01 6
280	... 117 04 8	... 117 01 0
320	... 118 04 6	... 118 01 8
400	... 119 04 0	... 119 01 2

## Sanding sheet set

10 of each type of sanding sheet, perforated with Velcro rapid attachment, corundum, grain 60, 80, 120, 180, and 240.

**Order reference** 6 37 17 109 03 5

## Carbide rasp

"tungsten-coated"

Perforated also for dust extractor, triangular. Flush working.



**Order reference** 6 37 31 001 01 4

## Carbide rasp

"tungsten-coated"

Finger shape, coated on both sides. Flush working.



**Order reference** 6 37 31 002 01 7

The adapter (3 06 05 114 01 1) is needed for all accessories with round mounts.

## Set of felt polishing pads

For polishing metal parts, such as door and furniture fittings made of brass, etc., as well as for polishing and decorative polishing of stone and stone products. Gelcoat layers on boats can also be polished. Pack of 2.



**Order reference** 6 38 06 140 02 7

The adapter (3 06 05 114 01 1) is needed for all accessories with round mounts.

Burnishing compounds for the respective material are available from specialist retailers.

## Accessories for

### Tilers / Plumbers

## Segment blade

Diamond coated, also for corners and radii and for working without overcutting. Cutting line approx.  $\frac{3}{32}$ ", standard model for all marble, epoxy resins, and cement mortar.



**Order reference** 6 39 03 162 01 7

Cutting line approx.  $\frac{3}{64}$ " for extremely thin marbleized mortar. Cutting depth max.  $\frac{3}{8}$ " mm. Not suited for epoxy resin and cement trass mortar.



**Order reference** 6 39 03 196 01 3

## Saw blades

Diamond-coated, cranked,  $\varnothing$  3  $\frac{1}{8}$ ". Flush working. Cutting line approx.  $\frac{3}{32}$ " standard model for all marble, epoxy resins, and cement trass mortar.



**Order reference** 6 35 02 115 01 1

Cutting line approx.  $\frac{3}{64}$ " for extremely thin tile joints. Not suited for epoxy resin and cement trass mortar.

**Order reference** 6 35 02 116 01 4

## Dust extraction device

For jobs with diamond-coated tools; tool-free mount. Suction hose attachment  $\varnothing$  1  $\frac{1}{4}$ ".



**Order reference** 9 26 02 075 01 8

### Carbide rasp

Carbide coated  
Perforated also for dust  
extractor, triangular.  
**Order reference**

6 37 31 001 01 4



The adapter (3 06 05 114 01 1) is needed for all accessories with round mounts.

### Dust extraction set

For all sanding and rasping jobs with triangular sanding pad and carbide rasp. incl. 2 sanding pads, perforated; 5 of each sanding sheets, perforated, grain 60, 80, and 120; 1 extractor hood with suction tube; 2 hose nozzles for hose connection Ø 1 1/8" and 1 1/4".

**Order reference** 9 26 02 074 01 4



### Cutter blade

Mushroom-shaped, for cutting elastic silicon or acrylic connecting joints as well as for separation of insulating glass. Pack of 5.

**Order reference** 6 39 03 128 01 2



### Scraper blade

For removing floor covering, flush working, underseal and residual bonding material, etc., pack of 1.

**Order reference** 6 39 03 206 01 8



### Cleaning block

For cleaning carbide and diamond-coated blades.

**Order reference** 6 37 19 007 01 0



### FEIN Turbo I with Auto-Start

Power input 1,050 Watt  
Air flow rate 116 cfm  
Static water lift 90 inches  
Tank volume 6 gal.  
Max. rating 2,000 W  
Weight 14.4 lbs  
Cable with plug 16 ft

**Order reference** 9 11 55



## Accessories for renewing sealant/ joints

### Cutter blade

Straight shape.  
Universal blade for almost all expansion sealants. Pack of 5.  
**Order reference**

6 39 03 117 01 5



Straight shape, long, for very deep joints. Pack of 5.  
**Order reference**

6 39 03 116 01 1



Segment form for V-cuts and for cuts in corners. Flush working. Pack of 2.

Blade L	Total length
1 3/8"	2 7/8"

**Order reference** 6 39 03 132 01 0



### Cleaning blades

Straight, diamond-coated, for cleaning mortar flanks before rejoining.

**Order reference**

6 39 03 161 01 4



### Dust extraction device

For jobs with diamond-coated tools; tool-free mount. Suction hose attachment Ø 1 1/4".

**Order reference**

9 26 02 075 01 8



### Cleaning block

For cleaning carbide and diamond-coated blades.

**Order reference**

6 37 19 007 01 0



### Work gloves

Vibration reducing, certified according to EN 388/420, EN ISO 10819, EEC no. 0200, no. in pack 1 pair

Size  
9 L  
10 XL  
11 XXL

**Order reference**

3 21 73 003 00 3

3 21 73 004 00 1

3 21 73 005 00 5



### Auxiliary handle

To reduce vibration and improve handling of the FEIN SUPERCUT during longer jobs. Also can be used with the dust extraction device 9 26 02 075 01 8.

**Order reference**

3 21 19 116 01 1



## Accessory sets



### Accessory Set Glaziers / Window Installation

Subsequent orders to professional set glaziers / window installers, consisting of 1 HSS saw blade, cranked, Ø 4"; 1 E-CUT standard saw blade (form 124); 1 each E-CUT universal saw blade (form 147, 148); 1 depth stop; 1 adapter; 1 sanding pad; 5 each sanding sheets, grain 80, 120, 180; 1 segment blade, toothed; 1 cutter blade, mushroom shaped

**Order reference**

6 39 03 167 34 2



### Accessory Set – Carpenters/ Interior Construction

Subsequent order professional set carpenters / interior fitters consisting of:

1 each E-CUT standard saw blades (form 123, 124 a. 135, 136); 1 each E-CUT precision saw blades (form 119, 120 a. 121, 122); 1 each E-CUT universal saw blades (form 147, 148); 1 depth stop; 1 adapter; 1 sanding pad; 5 each sanding sheets, grain 80, 120, 180

**Order reference**

6 39 03 167 35 8



### Accessory Set – Tile Work


Subsequent order to professional set tile layer, consisting of:

1 segment blade, diamond coated (form 162); 1 segment blade, mushroom shaped; 1 scraper blade; 1 each E-CUT universal saw blade (form 147, 148); 1 adapter; 2 rasps, carbide-coated, triangular, perforated for dust extractor

**Order reference**

6 39 03 167 36 1

If you wish to have a demonstration of our tools, please contact your local FEIN dealer.



**USA:** FEIN Power Tools Inc., 1030 Alcon Street, Pittsburgh, PA 15220, Tel. 412.922.8886, Toll Free: 1.800.441.9878

**Germany:** C. & E. FEIN GmbH, Leuschnerstr. 43, 70176 Stuttgart, Telefon 07 11 66 65-191, Fax -229

**Great Britain:** FEIN Industrial Power Tools U.K. Ltd., 4 Badby Park, Heartlands Business Park, Daventry, Northants NN11 5YT, Tel. 01327 308730

**Canada:** FEIN Canadian Power Tool Company, 323 Traders Boulevard East Mississauga, Ontario L4Z 2E5, Tel. (905) 890-1390, Toll Free: 1-800-265-2581

FEIN Canadian Power Tool Company, 2810 De Miniac St. Laurent, Quebec H4S 1K9, Tel. (514) 331-7390, Toll Free: 1-800-789-8181

**Australia:** FEIN Australasia Pty. Ltd., P.O. Box 287,  
Unit 2/ 110 Bonds Road, Riverwood N.S.W. 2210, Tel. 02 9534 3533

**South Africa:** FEIN Power Tools South Africa (Pty) Ltd.,  
P.O. Box 1411 Bramley 2018, 1st Floor Delpark House,  
77 Fifth Street, Wynberg, Johannesburg, Tel. 011 4442228

[www.fein.com](http://www.fein.com)

**Powered by innovation**

